


# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




Breakpoint = 64

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




⬇ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




Breakpoint = 4

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




\*Breakpoint Not Established

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates


**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**



# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**




⬇ Breakpoint

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 27. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)**



↓ Breakpoint